DEBRIS CHUTES

Ozplast Debris hopper & chutes are designed to assist in the disposal of waste from height. Manufactured in the UAE utilizing high quality polyethylene. The chutes are manufactured with durability in mind.

Their modular design allows for quick assembly and disassembly, making them ideal for use on multi-story buildings and construction sites. Ozplast debris chutes not only enhance on-site safety by minimizing the risk of falling debris, but they also streamline waste management, helping to

HOPPERS



Side View *Front View*

Specification	Hopper (Standard)	Hopper (Heavy Duty)
Total Length (mm)	1200	1200
Working Length (mm)	1050	1050
Outer Diameter – Top (mm)	610	610
Outer Diameter – Bottom (mm)	505	505
Avg. Weight (kg)	15	**30**
Avg. Wall Thickness (mm)	5	**10**

CHUTES

Front View

Specification	Chute (Standard)	Chute (Heavy Duty)
Total Length (mm)	1220	1220
Working Length (mm)	1070	1070
Outer Diameter – Top (mm)	615	615
Outer Diameter – Bottom (mm)	505	505
Avg. Weight (kg)	12	**20**
Avg. Wall Thickness (mm)	5	**10**

Phone: +971-44426684 **Email:** info@unionglobaltech.com **Website:** www.ozplast.com

OZPLAST

TYPICAL LAYOUT

Each floor will require 1 hopper, 1 pair of brackets and 3 Chutes (dependent on final floor height required). This will result in a total maximum working length of 1050+1070+1070+1070 = 4260mm.



GENERAL FEATURES

- Quick and Easy Installation.
- Ribbed for improved strength.
- Light and durable.
- Cost effective and safe.
- Reusable and UV Resistant.
- Designed for easy transport and storage.
- Yellow colour for high visibility.
- Adjustable.

The final heights can be amended simply by adjusting the chain and hooks supplied with the components and increasing or decreasing the overlap of the chutes.